


soften

acoustic wall panels



Soften provides a wide range of innovative acoustic panels and elements designed to provide enhanced interior appearance and excellent acoustic performance.

Mounting of the wallpanels is simple as no tools are required, they are attached with Velcro on smooth surfaces but can also be screwed to the wall.

The placement is easy to vary as required.

The material is recycled PET fabric and is available in standard colors white, light gray, dark gray and blue.

In addition to standard colors the panels can be covered with wool fabrics in the color scales Europost and Luna.



okko
www.okko.se

soften

acoustic wall panels

Classic Collection



S1



S2



S3



S5

Sizes: 550 x 550 x 50 mm Weight 0,7 - 1 kg



S4

Sizes: 825 x 550 x 50 mm Weight 1 - 1,5 kg

Pastille Collection



P1

Sizes: Ø 400 mm depth: 50 mm
Weight : 0,5 - 0,7 kg



P3

Sizes: Ø 550mm, depth: 65mm
Weight : 0,7 - 0,9kg

soften

acoustic wall panels

Material:

Acoustic panels:

Material is 100% polyester felt cloth

Manufactured without any solvent or other chemical substances

Material is recyclable

Acoustic absorption class according standard ISO 354:2003

No breakable parts

Acoustic filling:


Manufactured of recycled or new polyester material i recyclable

Fire safety classification acc.EN 1350-1:2002

Bs I, d0

Allergy-friendly

Manufactured in Finland



okko

www.okko.se

okko consulting ab, ml@okko.se, box 112 13, se-100 61 stockholm, phone +46 708 10 25 20